



PIONEER[®]

HUNDRED YEARS

1 9 2 6 • 2 0 2 6



*Celebrating
One Hundred Years*

2026

BRAND PRODUCTS

Iowa



Celebrating One Hundred Years


One hundred starts with one: With one farmer, one seed and one season.

One hundred years ago, Henry A. Wallace and the founders of Pioneer revolutionized farming by commercializing hybrid seed corn. Today, the Pioneer® brand honors their legacy with our relentless pursuit of what's next. To celebrate a century of innovation, we're bringing together what was, what's now and what's next to recognize all the moments that add up to one big milestone. **Because one changes everything.**

One farmer can make a difference. And one seed can grow the future.



PIONEER
PIONEER
PIONEER
PIONEER
Pioneer



373	74	17.9	75
353A	74	19.0	80
353	74	19.0	75
326	75	20.6	85
322	74	20.8	85



Technology Segment	Market Segment	CRM	Silk CRM	Stalk Strength	Mid-Season Brittle Stalk	Root Strength	Stress Emergence	Drought Tolerance	Staygreen	Grain Drydown	Ear Flex	Test Weight	Plant Height	Ear Height	Gray Leaf Spot	Northern Leaf Blight	Goss's Wilt	Anthraxnose Stalk Rot	Fusarium Ear Rot	Gibberella Ear Rot	Diplodia Ear Rot	Tar Spot
--------------------	----------------	-----	----------	----------------	--------------------------	---------------	------------------	-------------------	-----------	---------------	----------	-------------	--------------	------------	----------------	----------------------	-------------	-----------------------	------------------	--------------------	------------------	----------


OPTIMUM® ACREMAX® & POWERCORE® ENLIST® PRODUCTS

NEW P95819PCE™	PW,ENL,RIB		95	97	5	6	6	6	7	6	4	6	5	5	5	3	5	6		4	4		
NEW P96760PCE™	PW,ENL,RIB		96	96	6	7	6	6	7	7	7	6	5	5	5	4	5	5		4	3		5
NEW P9955PCE™	PW,ENL,RIB		99	99	6	6	7	5	7	5	5	7	7	6	5	3	4	6		2	5		5
NEW P00549PCE™	PW,ENL,RIB		100	96	6	6	6	6	8	5	6	4	5	5	5	4	5	6		4	4		4
NEW P03951PCE™	PW,ENL,RIB		103	100	6	6	6	6	7	6	5	6	5	5	4	5	5	6	4	4	3	4	4
P0404AM™	AM,LL,RR2		104	100	5	6	7	5	8	4	3	6	5	5	5	5	5	6	4	4	5	4	5
P04511AM™	AM,LL,RR2		104	102	6	5	6	5	7	6	3	8	6	6	5	4	5	6	7	2	4	5	5
NEW P05737PCE™	PW,ENL,RIB		105	102	6	6	6	5	8	6	5	7	5	5	6	5	5	4	4	4	3	4	5
P0859AM™	AM,LL,RR2		108	111	6	7	6	5	7	7	5	6	5	6	6	5	5	7	5	4	3	5	5
P0953AM™	AM,LL,RR2		109	111	6	6	6	5	6	6	3	6	6	6	5	5	6	6	6	6	3	5	5
P09944AM™	AM,LL,RR2	YFC	109	110	5	6	6	5	7	6	3	6	7	5	5	5	5	6	4	5		5	6
P1027AM™	AM,LL,RR2		110	109	6	6	6	5	6	6	5	8	6	6	6	5	6	5	4	5		4	6
P1082AM™	AM,LL,RR2		110	107	6	6	6	6	6	6	4	7	5	5	5	5	6	4	5	4	5	7	
P1164AM™	AM,LL,RR2		111	114	6	6	7	6	7	7	4	6	6	6	6	5	5	7	5	5		6	5
P1170AM™	AM,LL,RR2		111	110	6	6	5	5	7	6	4	7	7	5	6	5	6	5	4	5		4	6
P1185AM™	AM,LL,RR2	YFC	111	110	6	6	7	4	7	6	3	6	8	4	5	4	6	5	5	5		4	6
P13050AM™	AM,LL,RR2		113	111	6	6	7	5	8	6	6	7	6	5	5	4	5	6	4	3		5	5
NEW P13777PCE™	PW,ENL,RIB		113	112	5	6	6	5	7	6	4	6	6	6	5	5	6	7	5	4		5	6
NEW P13777PCUE™	PWUE,RIB		113	112	5	6	6	5	7	6	4	6	6	6	5	5	6	7	5	4		5	6
P1413AM™	AM,LL,RR2	AQ	114	108	6	6	4	5	9	6	6	6	5	5	5	5	6	7	5	4		6	5
P14830AML™	AML,LL,RR2		114	112	6	5	6	5	6	6	6	7	5	5	6	4	6	5	4	5		5	5
NEW P16544PCE™	PW,ENL,RIB	YFC	116	113	5	6	6	5	8	6	4	4	6	5	5	4	6	6	5	4		5	5
P17677AM™	AM,LL,RR2		117	118	6	5	6	6	7	6	7	6	6	7	7	5	5	7	5	6		5	5**

INTRODUCTORY/LIMITED POWERCORE® ENLIST® PRODUCTS

INTRO P97037PCE™	PW,ENL,RIB		97	95	6	6	6	6	8	6	7	6	4	6	6	3	5			3	3		3
INTRO P98125PCE™	PW,ENL,RIB	AQ	98	96	6	5	6	6	9	5	6	7	5	5	5	4	6	4		4	4		3**
INTRO P02405PCE™	PW,ENL,RIB		102	100	6	6	7	5	7	7	6	4	4	6	6	5	6	6		4			6
INTRO P09076PCE™	PW,ENL,RIB		109	110	5	7	6	6	8	6	5	6	5	6	5	5	5	6	5	4		6	5
INTRO P10300PCE™	PW,ENL,RIB		110	107	5	6	6	6	7	6	4	5	5	5	5	5	6	7	5	5	4	5	5**
INTRO P11056PCE™	PW,ENL,RIB		111	111	5	7	6	5	6	6	3	8	7	6	5	5	5	6	5	4		5	6
INTRO P14364PCUE™	PWUE,RIB	AQ	114	111	5	7	6	5	9	6	5	6	5	6	5	5	5	6	5	5		6	6
INTRO P15517PCE™	PW,ENL,RIB		115	112	5	6	5	6	7	6	5	4	5	5	5	4	6	7	5	4		5	5**
INTRO P17623PCE™	PW,ENL,RIB	YFC	117	110	5	6	6	7	7	6	6	6	6	6	5	6	5	5	4	4		5	5

For complete definitions and disclaimers related to characteristics ratings, and all other information contained herein, see page 25. Not all products are available in all areas.



373	74	17.9	75
353A	74	19.0	80
353	74	19.0	75
326	75	20.6	85
322	74	20.8	85



Technology Segment	Market Segment	CRM	Silk CRM	Stalk Strength	Mid-Season Brittle Stalk	Root Strength	Stress Emergence	Drought Tolerance	Staygreen	Grain Drydown	Ear Flex	Test Weight	Plant Height	Ear Height	Gray Leaf Spot	Northern Leaf Blight	Goss's Wilt	Anthraxnose Stalk Rot	Fusarium Ear Rot	Gibberella Ear Rot	Diplodia Ear Rot	Tar Spot
--------------------	----------------	-----	----------	----------------	--------------------------	---------------	------------------	-------------------	-----------	---------------	----------	-------------	--------------	------------	----------------	----------------------	-------------	-----------------------	------------------	--------------------	------------------	----------

QROME® & VORCEED® ENLIST® PRODUCTS

NEW P95819v™	V,LL,RR2,ENL		95	97	5	6	6	6	7	6	4	6	5	5	5	3	5	6		4	4		
P97299q™	Q,LL,RR2	AQ	97	94	7	6	6	5	9	6	6	6	5	5	5	4	5	5		4	3		6**
NEW P9955v™	V,LL,RR2,ENL		99	99	6	6	7	5	7	5	5	7	7	6	5	3	4	6		2	5		5
NEW P00549v™	V,LL,RR2,ENL		100	96	6	6	6	6	8	5	6	4	5	5	5	4	5	6		4	4		4
NEW P03115v™	V,LL,RR2,ENL	AQ	103	102	4	6	6	5	9	5	4	6	6	6	4	6	7	4	4	4	5	5	6
INTRO P03951v™	V,LL,RR2,ENL		103	100	6	6	6	6	7	6	5	6	5	5	4	5	5	6	4	4	3	4	4
NEW P04511v™	V,LL,RR2,ENL		104	102	6	5	6	5	7	6	3	8	6	6	5	4	5	6	7	2	4	5	5
P04922q™	Q,LL,RR2		104	101	7	5	7	6	7	5	3	5	6	6	5	4	6	6	4	4	3	3	8
P0529q™	Q,LL,RR2		105	108	6	6	6	5	6	5	8	7	5	6	6	5	6	6	5	4	5	5	6**
NEW P05466v™	V,LL,RR2,ENL		105	102	6	6	7	5	7	6	6	5	5	5	4	4	5	6	5	4		4	5
P05737v™	V,LL,RR2,ENL		105	102	6	6	6	5	8	6	5	7	5	5	6	5	5	4	4	4	3	4	5
P0622q™	Q,LL,RR2	AQ	106	102	5	6	7	5	9	5	4	5	6	4	5	3	5	6	4	6	5	5	6
NEW P08527v™	V,LL,RR2,ENL		108	111	5	6	6	5	8	6	4	6	7	6	5	5	5	7	5	4		5	5
NEW P09312v™	V,LL,RR2,ENL		109	108	6	7	6	5	8	6	4	6	6	5	5	5	6	6	5	5		5	5
NEW P10477v™	V,LL,RR2,ENL		110	112	6	6	6	5	6	6	8	7	4	6	5	5	6	6	5	4		5	5
NEW P10625v™	V,LL,RR2,ENL		110	109	5	7	7	5	8	5	5	6	6	5	5	5	6	6	4	4		5	6
P1185q™	Q,LL,RR2	YFC	111	110	6	6	7	4	7	6	3	6	8	4	5	4	6	5	5	5		4	6
P12065q™	Q,LL,RR2		112	109	6	5	7	5	7	6	6	4	5	6	5	5	5	6	6	5		5	7**
NEW P13050v™	V,LL,RR2,ENL		113	111	6	6	7	5	8	6	6	7	6	5	5	4	5	6	4	3		5	5
NEW P13544v™	V,LL,RR2,ENL	YFC	113	112	5	6	6	5	8	6	4	4	6	6	5	5	6	6	5	4		5	5
NEW P13777v™	V,LL,RR2,ENL		113	112	5	6	6	5	7	6	4	6	6	6	5	5	6	7	5	4		5	6
P14830q™	Q,LL,RR2		114	112	6	5	6	5	6	6	6	7	5	5	6	4	6	5	4	5		5	5
P1587q™	Q,LL,RR2	YFC	115	113	7	6	4	6	7	7	8	6	7	6	6	5	7	7	5	3		6	6
P1742q™	Q,LL,RR2		117	115	6	6	5	5	7	6	6	7	4	6	6	5	4	7	4	3		5	6

INTRODUCTORY/LIMITED VORCEED® ENLIST® PRODUCTS

INTRO P97037v™	V,LL,RR2,ENL		97	95	6	6	6	6	8	6	7	6	4	6	6	3	5			3	3		3
INTRO P98125v™	V,LL,RR2,ENL	AQ	98	96	6	5	6	6	9	5	6	7	5	5	5	4	6	4		4	4		3**
INTRO P02405v™	V,LL,RR2,ENL		102	100	6	6	7	5	7	7	6	4	4	6	6	5	6	6		4			6
INTRO P11056v™	V,LL,RR2,ENL		111	111	5	7	6	5	6	6	3	8	7	6	5	5	5	6	5	4		5	6
INTRO P12517v™	V,LL,RR2,ENL		112	114	6	6	5	6	8	6	4	6	6	5	5	5	5	6	5	5		5	5**



373	74	17.9	75
353A	74	19.0	80
353	74	19.0	75
326	75	20.6	85
322	74	20.8	85

Technology Segment	Market Segment	CRM	Silk CRM	Stalk Strength	Mid-Season Brittle Stalk	Root Strength	Stress Emergence	Drought Tolerance	Staygreen	Grain Drydown	Ear Flex	Test Weight	Plant Height	Ear Height	Gray Leaf Spot	Northern Leaf Blight	Goss's Wilt	Anthraxnose Stalk Rot	Fusarium Ear Rot	Gibberella Ear Rot	Diplodia Ear Rot	Tar Spot
--------------------	----------------	-----	----------	----------------	--------------------------	---------------	------------------	-------------------	-----------	---------------	----------	-------------	--------------	------------	----------------	----------------------	-------------	-----------------------	------------------	--------------------	------------------	----------

CONVENTIONAL CORN

P9492			94	97	7	7	7	7	7	7	6	5	5	6	5	4	5	6		2	3		6**
P9624			96	96	7	6	6	5	8	8	5	6	6	4	5	5	6	7		3	7		6
P9955			99	99	6	6	7	5	7	5	5	7	7	6	5	3	4	6		2	5		5
P0075			100	103	6	6	6	6	8	5	5	5	5	5	5	5	6	8	4	4	6	4	6
INTRO P05081		AQ	105	106	5	6	6	5	9	6	8	6	4	5	6	4	6	6	4	4		5	6
NEW P05737			105	102	6	6	6	5	8	6	5	7	5	5	6	5	5	4	4	4	3	4	5
INTRO P08527			108	111	5	6	6	5	8	6	4	6	7	6	5	5	7	5	4			5	5
P0924			109	109	5	6	6	6	7	6	5	5	7	6	6	5	6	5	4	5		4	6
P1185		YFC	111	110	6	6	7	4	7	6	3	6	8	4	5	4	6	5	5	5		4	6
P1222			112	114	6	4	6	6	6	7	6	7	7	6	6	5	5	6	5	5		6	5
INTRO P13777			113	112	5	6	6	5	7	6	4	6	6	6	5	5	6	7	5	4		5	6
INTRO P14830			114	112	6	5	6	5	6	6	6	7	5	5	6	4	6	5	4	5		5	5
NEW P17677			117	118	6	5	6	6	7	6	7	6	6	7	7	5	5	7	5	6		5	5**

WAXY CORN

INTRO P04916WX		WX	104	107	6	7	5	6	5	5	4		6	5	6	6	5	7	5	4		5	6**
P0574WXq™	Q,LL,RR2	WX,AQ	105	104	6	4	7	6	9	7	4	6	5	3	4	4	5	5	4	5	3	6	6
P0720WX		WX	107	106	6	4	7	5	8	6	5	6	7	5	6	4	6	7	5	5	4	5	7
INTRO P0732WXq™	Q,LL,RR2	WX	107	112	6	6	6	6	6	6	5	6	7	6	6	5	5	7	6	5		6	6
P0924WX		WX	109	109	5	6	6	6	7	6	5	5	7	6	6	5	6	5	4	5		4	6
P0934WX		WX	109	108	7	5	8	5	6	8	5		6	6	6	5	5	5	5	3	5	6	
P1108WX		WX	111	110	6	6	5	6	7	7	7	7	5	6	6	5	5	7	4	6	4	6	6
NEW P1108WXq™	Q,LL,RR2	WX	111	110	6	6	5	6	7	7	7	7	5	6	6	5	5	7	4	6	4	6	6
P1359WX		WX	113	113	7	6	6	6	6	8	8	8	6	6	6	5	5	6	6	5		5	5

WHITE CORN


INTRO P11304W		WH	111	116	5	6	6	4	7	5	5		7	6	6	5	5	7	4	5		5	6**
INTRO P11304Wv™	V,LL,RR2,ENL	WH	111	116	5	6	6	4	7	5	5		7	6	6	5	5	7	4	5		5	6**
P1306W		WH	113	111	8	6	8	5	6	7	5	6	6	7	4	6	6	6	4	7		6	7**
P13131W		WH	113	113	6	5	6	6	6	6	5	4	8	6	6	5	5	6	4	5		6	7**
INTRO P14192Wpce™	PW,ENL,RIB	WH	114	112	6	6	5	5	5	5	4		8	7	6	5	5	6	4	5		5	7**
P1457Wam™	AM,LL,RR2	WH	114	114	6	5	5	5	6	5	5	6	8	7	5	5	5	7	4	4		5	
NEW P15143W		WH	115	114	5	5	6	6	6	6	8	6	7	7	6	5	4	6	5	5		5	7**
INTRO P15143Wpce™	PW,ENL,RIB	WH	115	114	5	5	6	6	6	6	8	6	7	7	6	5	4	6	5	5		5	7**
P1656Wam™	AM,LL,RR2	WH	116	119	5	5	6	5	7	8	6	7	8	8	7	6	7	7	6	4		4	
P1790W		WH	117	119	6	6	6	5	7	6	6	9	8	7	6	5	6	7	5	4		4	6**
P1790Wq™	Q,LL,RR2	WH	117	119	6	6	6	5	7	6	6	9	8	7	6	5	6	7	5	4		4	6**



Brand**	Technology Segment	Market Segment	Silage CRM	Silage Yield	Starch and Sugar, %	Fiber Digestibility	Milk Per Acre	Milk Per Ton	Beef Per Acre	Beef Per Ton	Stalk Strength	Mid-Season Brittle Stalk	Root Strength	Stress Emergence	Drought Tolerance	Plant Height	Ear Height	Plant Staygreen
---------	--------------------	----------------	------------	--------------	---------------------	---------------------	---------------	--------------	---------------	--------------	----------------	--------------------------	---------------	------------------	-------------------	--------------	------------	-----------------

SILAGE CORN PRODUCTS

P97299Q™	Q,LL,RR2	AQ	94	7	8	6	7	7	7	7	7	6	6	5	9	5	5	6
NEW P00549v™	V,LL,RR2,ENL		99	7	8	8	8	9	8	9	6	6	6	6	8	5	5	5
NEW P9955v™	V,LL,RR2,ENL		99	8	8	7	8	7	8	7	6	6	7	5	7	6	5	5
NEW P03115v™	V,LL,RR2,ENL	AQ	102	7	8	7	7	7	7	7	4	6	6	5	9	6	6	5
INTRO P03951v™	V,LL,RR2,ENL		102	7	9	8	7	8	7	8	6	6	6	6	7	5	4	6
NEW P04511v™	V,LL,RR2,ENL		104	8	7	6	8	7	8	7	6	5	6	5	7	6	5	6
P04922Q™	Q,LL,RR2		104	7	9	7	7	7	7	7	7	5	7	6	7	6	5	5
P0529Q™	Q,LL,RR2		105	8	8	7	8	7	8	7	6	6	6	5	6	6	6	5
NEW P05466v™	V,LL,RR2,ENL		105	7	8	8	7	8	7	8	6	6	7	5	7	5	4	6
NEW P09312v™	V,LL,RR2,ENL		107	8	8	7	8	7	8	7	6	7	6	5	8	5	5	6
BMR BOV P08133Q™	Q,LL,RR2	BMR,BOV	108	7	7	9	7	9	8	8		7	6	5		7	7	5
TE NEW P08527v™	V,LL,RR2,ENL		108	8	7	7	8	7	8	7	5	6	6	5	8	6	5	6
NEW P13544v™	V,LL,RR2,ENL		108	8	7	8	7	7	7	7	5	6	6	5	8	6	5	6
P0953AM™	AM,LL,RR2		109	8	8	8	9	7	9	7	6	6	6	5	6	6	5	6
NEW P10625v™	V,LL,RR2,ENL		109	8	7	6	8	7	8	7	5	7	7	5	8	5	5	5
P1185Q™	Q,LL,RR2		109	8	9	9	8	9	8	9	6	6	7	4	7	4	5	6
TE P1027AM™	AM,LL,RR2		110	8	8	9	8	7	8	7	6	6	6	5	6	6	6	6
P13476Q™	Q,LL,RR2	AQ	110	8	7	8	8	7	8	7	5	6	6	5	9	6	6	5
TE P0859AM™	AM,LL,RR2		111	8	7	7	8	7	8	7	6	7	6	5	7	6	6	7
TE NEW P13777v™	V,LL,RR2,ENL		111	8	7	7	8	7	8	7	5	6	6	5	7	6	5	6
P1164AM™	AM,LL,RR2		112	8	7	6	8	7	8	6	6	6	7	6	7	6	6	7
P1170AM™	AM,LL,RR2		112	8	7	8	8	8	9	7	6	6	5	5	7	5	6	6
BMR BOV P1267Q™	Q,LL,RR2	BMR,BOV	112	6	7	9	6	7	6	7	5	7	6	5		5	5	5
TE P14830Q™	Q,LL,RR2		112	9	8	9	8	7	8	7	6	5	6	5	6	5	6	6
TE NEW P13050v™	V,LL,RR2,ENL		113	8	7	9	8	7	8	7	6	6	7	5	8	5	5	6
BMR BOV P13968AMXT™	AMXT,LL,RR2	BMR,BOV	113	6	6	9	6	8	6	7		7	6	6		7	6	6
P1413AM™	AM,LL,RR2	AQ	113	8	7	8	8	8	8	7	6	6	4	5	9	5	5	6
P1587Q™	Q,LL,RR2		113	8	7	9	7	8	7	8	7	6	4	6	7	6	6	7
NEW P10477v™	V,LL,RR2,ENL		114	8	7	6	8	7	7	6	6	6	6	5	6	6	5	6
BMR P1449AMX™	AMX,LL,RR2	BMR	114	7	7	9	7	9	7	9	3	6	5	5	6	8	7	6
TE P12065Q™	Q,LL,RR2		115	7	7	7	7	7	7	7	6	5	7	5	7	6	5	6
NEW P16544PCE™	PW,ENL,RIB		115	7	8	8	7	8	7	8	5	6	6	5	8	5	5	6
TE P1742Q™	Q,LL,RR2		118	8	7	6	8	7	8	6	6	6	5	5	7	6	6	6
P17677AM™	AM,LL,RR2		118	9	7	7	8	6	8	6	6	5	6	6	7	7	7	6



Brand**	Technology Segment	Market Segment	Silage CRM	Silage Yield	Starch and Sugar, %	Fiber Digestibility	Milk Per Acre	Milk Per Ton	Beef Per Acre	Beef Per Ton	Stalk Strength	Mid-Season Brittle Stalk	Root Strength	Stress Emergence	Drought Tolerance	Plant Height	Ear Height	Plant Staygreen
---------	--------------------	----------------	------------	--------------	---------------------	---------------------	---------------	--------------	---------------	--------------	----------------	--------------------------	---------------	------------------	-------------------	--------------	------------	-----------------

INTRODUCTORY/LIMITED SILAGE CORN PRODUCTS

INTRO P97037v™	V,LL,RR2,ENL		95	7	8	8	8	8	8	8	6	6	6	6	8	6	6	6
INTRO P98125v™	V,LL,RR2,ENL	AQ	98	8	8	8	8	7	8	7	6	5	6	6	9	5	5	5
INTRO P02405v™	V,LL,RR2,ENL		102	8	7	8	8	8	8	8	6	6	7	5	7	6	6	7
INTRO BMR BOV P04757q™™	Q,LL,RR2	BMR,BOV	104	7	7	9	7	9	7	9		6	6	5		6	5	5
TE INTR P10300pce™	PW,ENL,RIB		108	8	8	8	8	8	8	8	5	6	6	6	7	5	5	6
INTRO P09076pce™	PW,ENL,RIB		109	8	7	6	8	7	8	7	5	7	6	6	8	6	5	6
TE INTR P11056v™	V,LL,RR2,ENL		109	8	7	8	9	8	9	8	5	7	6	5	6	6	5	6
INTRO P14364pcue™	PWUE,RIB	AQ	110	8	7	8	9	7	9	7	5	7	6	5	9	6	5	6
INTRO BMR BOV P11591q™™	Q,LL,RR2	BMR,BOV	111	7	7	9	7	9	7	9		6	6	5		7	6	6
INTRO P17623pce™	PW,ENL,RIB		111	8	7	7	7	7	7	7	5	6	6	7	7	6	5	6
INTRO P12517v™	V,LL,RR2,ENL		112	8	7	8	9	8	9	8	6	6	5	6	8	5	5	6
INTRO P15517pce™	PW,ENL,RIB		113	8	8	8	8	8	8	8	5	6	5	6	7	5	5	6

TONNEDGE

TONNEDGE HYBRIDS

Pioneer® brand exclusive corn silage TonnEdge hybrids, powered by the Silage Zone®, offer livestock producers products that deliver high tonnage potential and superior plant health while providing an edge over the competition with a focus on local selection, agronomics, and quality. All this comes with the service, support, and tools you need to produce the highest quality feed for your operation.



PIONEER® BRAND INOCULANTS

Maximize your forage performance with Pioneer® brand crop-specific inoculants, including proprietary bacterial strains that deliver rapid fermentation, reduce dry matter losses and improve stability in the storage structure and feed bunk.

LUMIGEN® SEED TREATMENTS

For Pioneer® Brand Corn



PREMIUM PACKAGE

LumiGEN® seed treatments for corn protect our elite genetics from early-season disease, insects and nematodes to help maximize yield potential.

- LumiGEN fungicide seed treatment is one of the most robust available in the industry, providing enhanced protection against metalaxyl-resistant *Pythium* species and a unique active ingredient, inpyrfluxam, against *Rhizoctonia* and *Fusarium*.
- Lumialza® nematocidal seed treatment shields roots with an expanding bio-barrier protecting corn from yield-robbing nematodes for more than 80 days while cooperating with beneficial microorganisms.
- Lumivio® insecticide seed treatment at a 250 rate combined with Lumisure® at a 250 rate, offers two modes of action providing protection against the broadest insect spectrum in the industry, delivering better plant stands and reducing runt plants. An optional enhanced CRW package is available that brings the same disease and nematode protection as our premium package above with Lumisure® 1250 insecticide seed treatment to provide enhanced yield protection against corn rootworm.

Lumialza Advantage over FST/IST

9.0 bu/a
YIELD ADVANTAGE²

in high nematode pressure

3.7 bu/a
YIELD ADVANTAGE²

in low nematode pressure

NEW Lumidapt™ VALTA LS

NUTRITION SEED TREATMENT

Biological fertilizer proven to support crops

- Provides micro-nutrients to the plant, optimized for the best ratio of minerals.
- Enhances plant health and has been shown to increase yield potential.
- +2 bu/A yield advantage over current recipe.¹



Untreated


LumiGEN® seed treatments

Add ILEVO® HL seed treatment for extra protection for fields at risk of soybean cyst nematode (SCN) and sudden death syndrome (SDS).

6.4 bu/a
YIELD ADVANTAGE⁵

Use ILEVO HL at the high rate (1 oz/140k) for protection against both SCN and SDS and a proven yield advantage of 6.4 bu/A under heavy SDS pressure.⁵

Seedcorn Maggot Pressure



Lumiderm® + neonicotinoid seed treatment

Neonicotinoid seed treatment

¹ Statistically significant improvement in yield resulting in a 1-3 bu/a advantage based on Corteva Agriscience research data from 2019-2022, 145 locations.
⁵ Data is based on average of comparisons in Pioneer Agronomy Science trials from 2012-2015, 165 locations. Flucypram use rate of 0.15mg ai/seed.

For Pioneer® Brand Soybeans

PREMIUM PACKAGE

Our powerful combination of 6 different modes of action enhanced by LumiTreo™ fungicide seed treatment leads the industry in yield protection against early-season diseases.

- Lumiante™ is a new fungicide seed treatment that protects seed investments from early season disease pressure, providing control against metalaxyl-resistant *Pythium* species, *Phytophthora* and other water molds (oomycetes).
- When Phalanx™ insecticide seed treatment and Lumiderm insecticide seed treatment are paired, they provide a statistically significant improvement in plant stands and vigor,³ as well as a 1 to 3 bu/A advantage over the neonicotinoid insecticide alone.⁴

	PREMIUM PACKAGE	ENHANCED PACKAGE
FUNGICIDE SEED TREATMENT		
LumiTreo™	✓	
Lumiante™	✓	
Sebring® metalaxyl	✓	
L-2030 G biofungicide	✓	
ILEVO® HL		✓
INSECTICIDE SEED TREATMENTS		
Phalanx™	✓	
Lumiderm®		✓

¹ Data from 2022-2024 across 72 locations with a 70.8% win rate over current commercial recipe.
² Lumialza® nematocidal seed treatment vs. non-nematocidal seed treatment utilizing the same insecticide and fungicide recipe in seed applied technology replicated and strip trial data. Yields ranged from 3 to 9 bu/a depending on nematode species and population, in 184 low stress and 54 moderate to high stress locations.
³ Statistically significant improvement in plant stands (gaps) and vigor based on Corteva Agriscience research data from 2019-2022, 153 locations.

PIONEER INNOVATION



THE ULTIMATE CORN ROOTWORM DEFENDER

Maximizes YIELD potential

- We're seeing 73% wins against competitor products with a 7.8 bu/A yield advantage¹
- Offered through a diverse lineup of high yield potential genetics across a wide range of maturities

Exceptional CRW PROTECTION

- Building on the breeding success of Pioneer® brand Qrome® corn technology, Vorceed® Enlist® corn includes 6 modes of action to protect against insects and 4 herbicide tolerance modes of action
- New RNAi technology to defend against adult corn rootworm emergence

More FLEXIBILITY for weed management

- Includes the Enlist® corn trait stack, which offers tolerance to 2,4-D choline and FOP as well as glufosinate and glyphosate herbicides
- Offers a wider application window to control late-season broadleaf weeds



A NEW ERA IN SOYBEAN PERFORMANCE

Bringing more YIELD potential

- With a 3.5 bu/A vs. all competitors³, with an additional \$35.00/per acre return on investment⁴

Bringing MORE consistent agronomics and enhanced disease protection

- Bred for offensively strong defensive traits with over 10,000 IMPACT™ and on-farm local trials from 2020-2024 that rigorously tested varieties under various conditions to prove them in the field for your local conditions
- 12% increased agronomic and disease scores in sudden death syndrome (SDS), white mold, iron deficiency chlorosis and lodging resistance over current varieties

FLEXIBILITY for weed management

- Varieties include the leading trait technology, Enlist E3®

All offered in a diverse lineup that is EXCLUSIVE to Pioneer



YIELD. PROTECTION. FLEXIBILITY.

Maximizes YIELD potential

- Insect protection available in a diverse lineup of high yield potential genetics across a wide range of maturities
- In 2024, PowerCore® Enlist® products showed 65% wins against the competitors with a 7.7 bu/A yield advantage²

Improved insect PROTECTION

- Offers a comprehensive trait package to control above-ground insects with 3 modes of action against key pests: European corn borer, fall armyworm and southwestern corn borer
- Offers one mode of action of protection against black cutworm compared to competitor VT Double PRO® corn

More FLEXIBILITY for weed management

- Includes the Enlist® corn trait stack, which offers tolerance to 2,4-D choline and FOP as well as glufosinate and glyphosate herbicides
- Offers a wider application window to control late-season broadleaf weeds such as waterhemp and Palmer amaranth



PROTECT YOUR SEED FROM THE START

LumiGEN® seed treatments protect your investment with best-in-class seed treatment. You can plant with confidence knowing your seeds and seedlings have advanced protection against pests, disease and uncertain soil conditions during the critical early growth period.

Our rapidly expanding seed treatment portfolio is built on a proven foundation. LumiGEN® technologies deliver best-in-class protection to optimize the elite genetic potential of your Pioneer® brand seed.


¹ Data is based on average of 2024 comparisons made in the U.S. through December 1, 2024. Comparisons are against all competitors, technology segment matched, unless otherwise stated, and within a +/- 3 CRM of the competitive brand.

² Data is based on average of 2024 comparisons made in the U.S. in 2024. Comparisons are against all competitors, technology segment matched, unless otherwise stated, and within a +/- 3 CRM of the competitive brand.

³ Data is based on average of 2024 IMPACT™ trial comparisons made in the U.S. through December 1, 2024. Comparisons are against all competitors and within a +/- 3 RM.

⁴ Income/A Advantage is calculated with the price of soybeans at \$10.00 per bushel.

Product responses are variable and subject to any number of environmental, disease and pest pressures. Individual results may vary. Multi-year and multi-location data are a better predictor of future performance. DO NOT USE THIS OR ANY OTHER DATA FROM A LIMITED NUMBER OF TRIALS AS A SIGNIFICANT FACTOR IN PRODUCT SELECTION. Refer to www.pioneer.com or contact a Pioneer sales representative or authorized dealer for the latest and complete listing of traits and scores for each Pioneer® brand product.



Brand*	Relative Maturity	Technology Segment	Harvest Standability	Field Emergence	Phytophthora Gene	Phytophthora Field Tolerance	Brown Stem Rot	Iron Chlorosis	White Mold	Sudden Death Syndrome	SCN Source	Charcoal Rot	Frogeye Leaf Spot	Canopy Width	Plant Height for Maturity	% Protein @ 13% Moisture	% Oil @ 13% Moisture	Seeds Per Pound
--------	-------------------	--------------------	----------------------	-----------------	-------------------	------------------------------	----------------	----------------	------------	-----------------------	------------	--------------	-------------------	--------------	---------------------------	--------------------------	----------------------	-----------------

ENLIST E3® PRODUCTS


NEW P14Z08E™	1.4	E3	7**	7	1c	8**	HT	6	5	6**	PI88788	6	3**	6**	5	33.9	20.8	2550
P15Z80E™	1.5	E3	9	7	1k	4**	MT	6	4	5**	Peking	6	8**	6	4	33.4	20.3	2560
NEW P16Z25E™	1.6	E3	9	8	1k	5**	HT	5	6	6**	Peking	5	6**	5**	4	33.5	20.4	2550
P17Z39E™	1.7	E3	7	7	1k	4**	HT	5	5	7**	Peking	6	5**	5	5	34.0	20.8	2580
P19Z52E™	1.9	E3	7	7	1k	4**	MT	6	3	6**	Peking	4	8**	6	5	34.2	20.0	2570
P20Z14E™	2.0	E3	7	7	1k	4**	MT	7	3	6**	Peking	5	8**	6	5	33.1	20.5	2520
P21Z71E™	2.1	E3	8	7	1k	5**	MT	6	4	6	Peking	4	8**	6	4	33.4	20.8	2590
NEW P22Z02E™	2.2	E3	7	7	1k,3a		HT	6	4**	6**	PI88788	3	5**	6**	5	34.7	20.3	2590
P23Z82E™	2.3	E3	8	7	1k	4**	HT	5	5	5**	Peking	5	5**	5	4	33.2	20.8	2590
P26Z78E™	2.6	E3	8	7	1k	5**	MT	6	5	6	PI88788	6	8**	5	5	33.8	20.4	2750
NEW P26Z86E™	2.6	E3	8	7	1k	5**	HT	4	6	6**	PI88788	8	6**	5**	6	34.5	20.3	2340
P27Z41E™	2.7	E3	8	8	1k,3a		HT	7	5	7	PI88788	6	6**	5	5	34.1	19.8	2750
P28Z30E™	2.8	E3	8	7	1k	6**	HT	5	5	6**	PI88788	7	7**	5	5	35.8	19.0	2850
P28Z89E™	2.8	E3	8	7	1k	4**	HT	6	5	7	Peking	7	6**	6	5	34.4	19.9	2470
NEW P29Z61E™	2.9	E3	8	8	1k	7**	MT	6	5	7**	PI88788	5	3**	5**	6	34.4	19.9	2790
P30A75E™	3.0	E3	7	7**	1k	5**	MT	7	4	6	PI88788	8	8**	6	4	34.1	20.1	2830
P31Z03E™	3.1	E3	7	7	1k,3a		HT	4	4	7	PI88788	7	3**	6	5	34.5	19.9	2400
NEW P33Z27E™	3.3	E3	6	7	1k	5**	HT	5	3	8	Peking	3	6**	6**	6	34.5	19.6	2830
NEW P36Z04E™	3.6	E3	6	8	1k	5**	HT	3		5	Peking	6	3**	6**	4	33.3	20.3	2820
P37Z06E™	3.7	E3	9	7	1k	5**	MS	4	4**	6	PI88788	5	6**	4	4	34.2	20.2	2810
NEW P38Z41E™	3.8	E3	6	8	1k	6**	MT	6		7	PI88788	6	3**	6**	5	33.9	20.4	2560
P40Z57E™	4.0	E3	8	7	1k	5**	HT	5	3**	6	PI88788	7	3**	5	4	33.4	20.5	2840
NEW P41Z16E™	4.1	E3	7	8	1k	6**	MS	3		6**	PI88788	4	3**	6**	5	35.1	19.2	2950
P43Z44se™	4.3	STS,E3	8	7	-	5**	HT	5		7	PI88788	5	3**	6	4	34.4	19.7	2860



PIONEER® BRAND Z-SERIES SOYBEANS

Once you plant Pioneer® brand Z-Series soybeans with the Enlist E3® trait in your fields, you'll feel its impact. In 2024, Pioneer brand Z-Series Enlist E3 soybeans edged out all Enlist E3 competitors by an average of 3.7 bu/A with 75% wins. Bring your operation into a new era of performance by visiting Pioneer.com/zseries.

Data is based on average of 2024 comparisons made in the U.S. through November 4, 2024. Comparisons are against competitor Enlist E3 varieties and within a +/- 3 RM of the competitive brand. Product responses are variable and subject to any number of environmental, disease and pest pressures. Individual results may vary. Multi-year and multi-location data are a better predictor of future performance. DO NOT USE THIS OR ANY OTHER DATA FROM A LIMITED NUMBER OF TRIALS AS A SIGNIFICANT FACTOR IN PRODUCT SELECTION. Refer to www.pioneer.com or contact a Pioneer sales representative or authorized dealer for the latest and complete listing of traits and scores for each Pioneer® brand product.



Brand*	Relative Maturity	Technology Segment	Harvest Standability	Field Emergence	Phytophthora Gene	Phytophthora Field Tolerance	Brown Stem Rot	Iron Chlorosis	White Mold	Sudden Death Syndrome	SCN Source	Charcoal Rot	Frogeye Leaf Spot	Canopy Width	Plant Height for Maturity	% Protein @ 13% Moisture	% Oil @ 13% Moisture	Seeds Per Pound
--------	-------------------	--------------------	----------------------	-----------------	-------------------	------------------------------	----------------	----------------	------------	-----------------------	------------	--------------	-------------------	--------------	---------------------------	--------------------------	----------------------	-----------------

CONVENTIONAL PRODUCTS

P18A82™	1.8	-	7	8	1k,3a		HT	5	4	6**	PI88788	3	6**	6	5	35.6	19.4	2210
P20A10™	2.0	-	7	8	1k,3a		HT	5	4	5	PI88788	4	6**	5	5	33.9	20.2	2450
P26A20™	2.6	-	8	8	1k	4	HT	4	5	7	PI88788	6	3**	5	5	34.0	19.8	2160
P29T50	2.9	-	6	7	1k	5	HT	4	4	7	PI88788	4	4	6	6	35.1	19.8	2310
P33T60	3.3	-	7	7	1c	5	HT	3	5**	4	PI88788	4	5	4	6	33.9	20.1	2520
P35A20™	3.5	-	8	7**	1k	4**	HT	2	3**	7	PI88788	4	3**	6	4	33.6	20.4	2740
NEW P37Z90™	3.7	-	9**	7	1k	7**	HT	5	3**	6**	PI88788	4	5**	4**	6	34.1	20.3	3020
P39A78™	3.9	-	6	8	1c	7**	MS	6	3**	5	PI88788	6	5**	6	5	34.1	20.2	2560

PLENISH® HIGH OLEIC PRODUCTS

P19A27PR™	1.9	Plenish,R	7	6	1c	4	MT	5	4	6	Peking	2	3**	4	5	34.8	19.9	3130
P21A31PR™	2.1	Plenish,R	7	8	1k,3a		MT	5	4	4	Peking	5	8**	6	4	34.7	20.1	2490
P22A36PR™	2.2	Plenish,R	7	7	1k	7	MT	4	5	8	Peking	2	6	6	6	35.4	19.5	2440
P24A46PR™	2.4	Plenish,R	7	7	1k	4	MT	5	5	6	Peking	4	8**	5	5	33.9	19.7	2820
P27A26PR™	2.7	Plenish,R	9	8	1k	5	MT	5	6	6	Peking	5	8**	6	4	34.0	19.1	2670
P29A57PR™	2.9	Plenish,R	7	7**	1k	6**	MT	4	5	6	PI88788	6	8**	5	5	34.5	19.2	2450
P30A93PR™	3.0	Plenish,R	8	8	1k	7**	MT	5	6	5	PI88788	5	3**	6	5	34.4	19.2	2210
P31A48PR™	3.1	Plenish,R	7	7	1k	4**	MT	6	5	5	Peking	5	5**	5	5	33.4	20.0	2620
P34A65PR™	3.4	Plenish,R	7	8	1k	5	MT	5	5	5	PI88788	7	6**	5	4	33.7	20.3	2620




PIONEER AGRONOMY

Pioneer's local agronomic experts provide in-depth knowledge and solutions to growers. Our agronomic insights are gathered from decades of on-farm research and real-world experience of agronomic experts. Our local teams complete over 13,000 on-farm trials each season, assuring we provide excellent management tips for our products. As the leader in agronomic content, the Pioneer Agronomy team generates timely and relevant materials. These resources and information are available online or from your local Pioneer sales representative.

MAXIMIZE YOUR PROFITS WITH EXPERT AGRONOMIC SUPPORT & TOP-PERFORMING PRODUCTS



WHEREVER YOU FARM, PIONEER HAS A PROFESSIONAL AGRONOMIST NEARBY.



WE EQUIP YOU AND YOUR TEAM WITH RESOURCES, DATA, AND TECHNOLOGY TO ACHIEVE YOUR FARM GOALS.




WE'RE FOCUSED ON HELPING YOU DRIVE PERFORMANCE TODAY AND PREPARING YOU TO REACH YOUR YIELD GOALS IN THE FUTURE.

TRIALS

- Greater Than 10,000 Product Knowledge Trials Annually
- Greater Than 2,800 Localized Agronomic Management Trials Annually
- In-Season Monitoring of Diseases and Pests

PUBLICATIONS & EDUCATIONAL WEBINARS

We share agronomic research, trial results, and fundamental agronomy information through publications and webinars, enabling you to confidently leverage management solutions that enhance your farm's performance.



Forward-thinking Farming
a webinar series powered by Pioneer Agronomy

AGRONOMY TOOLS & SOLUTIONS

We can help you adapt to every situation with our decision science tools and solutions, including:

- **GRANULAR INSIGHTS** – Agronomic software that enables you and your trusted Pioneer team to plan, manage, and analyze seed performance year-round
- **FUNGICIDE TIMING** – Takes the mystery out of fungicide decisions to get the most from your Pioneer genetics
- **WATER REPORTER** – Scalable irrigation and dryland solution that informs on soil moisture level for irrigation and input decisions
- **SILAGE STAGING** – Takes the guesswork out of when and where to chop to optimize the highest yield and quality silage



YOUR FARM DESERVES THE BEST FIELD MANAGEMENT EXPERTISE.

Discover more about localized agronomy trials today!

PIONEER SALES REPRESENTATIVES



SERVICE BEYOND THE SEED.

Pioneer has a long history of helping farmers and rural communities thrive, and our people share this same pride and dedication in their communities' success. Collaborating with our field teams, including agronomists and territory managers, Pioneer sales representatives can harness the power of the extensive research and resources we have to

help local farmers make informed decisions by maximizing profitability and growing their operations. All while helping their community grow, too.

Our sales representatives prioritize building relationships with local farmers to help them maximize their investment in every bag of Pioneer® brand seed.

SUPPORT IN EVERY SEASON.

Pioneer sales representatives provide a wide range of support, sunup to sundown, season after season. Our goal is to provide farmers with the tools and services they need to maximize their investment, including elite seed treatment, agronomic solutions and resources, advanced data

management tools and apps, expert services, and more. Pioneer sales representative deliver what no one else can – world-class hybrids and varieties that push yield limits and help maximize profits. **When our farmers succeed, we succeed.**

WE SEE THE WHOLE PICTURE.

When it comes to maximizing performance and profitability, we see the big picture and integrate our expertise across seed, crop protection, seed treatment, digital solutions, agronomic insights, and financing.

We offer growers a complete package of solutions to meet their evolving needs.





Brand	Heading Date North	Harvest Maturity	Yield for Primary Area	Test Weight	Seed Size	Lodging Resistance	Height	Winterhardness	Leaf Blight	Leaf Rust	Stripe Rust	Powdery Mildew	Scab	Spindle Streak Mosaic Virus	Soil-borne Mosaic Virus	Head Type
-------	--------------------	------------------	------------------------	-------------	-----------	--------------------	--------	----------------	-------------	-----------	-------------	----------------	------	-----------------------------	-------------------------	-----------

NORTHERN RED VARIETIES

25R65	+1	ME	9	6	4	7	4	5	7	4	6	7	6	6	7	Awned
25R76	-1.5	E	8	8	6	6	5	5	7	5	6	6	7	7	7	Awned
NEW P25R499	+2	ML	8	7	4	7	5	7	7	4	8	4	7	7	8	Awnless
INTRO P25R800	-3	E	8	7	7	7	4	7	5	4	6	6	6	5	5	Awned



Crop-specific options using patented, proprietary bacterial strains

	INOCULANTS			RAPID REACT® TECHNOLOGY			NUTRIVAIL® FEED TECHNOLOGY		
	1174	1189	11H50	11C33	11B91	11G22	11CFT**	11AFT**	11GFT**
	Multi-Crop	HMC	Alfalfa	Corn Silage	HMC	Alfalfa/Grass/Cereals	Corn Silage	Alfalfa	Grass/Cereals
				Contains fast-acting* <i>L. buchneri</i> †	Contains fast-acting* <i>L. buchneri</i> †	Contains fast-acting* <i>L. buchneri</i> †	Contains <i>L. buchneri</i> †	Contains <i>L. buchneri</i> †	Contains <i>L. buchneri</i> †
Improves fermentation and reduces dry matter loss	X	X	X	X	X	X	X	X	X
Improves nutrient conservation	X	X	X	X	X	X	X	X	X
Significantly reduces heating on bunker/pile face				X	X	X	X	X	X
Helps reduce heating in entire TMR				X	X	X	X	X	X
Improves fiber digestibility							X	X	X



Brand	Relative Maturity	Yield for Silage	Yield for Hay	Plant Height [feet]	Stem Sweetness	Stem Juiciness	% Grain in Forage	Head Type	Grain Color	Regrowth Score	Stalk Strength	Root Strength	Sorghum Aphid Tolerance
-------	-------------------	------------------	---------------	---------------------	----------------	----------------	-------------------	-----------	-------------	----------------	----------------	---------------	-------------------------

859F	75	8	5	7-10	8	7	40-45%	Semi-Compact	Red	5	8	7	8
-------------	----	---	---	------	---	---	--------	--------------	-----	---	---	---	---




Brand	Relative Maturity	Yield for RM	Yield Under Stress	Yield for Silage	Yield for Hay	Yield for Green Chop	Yield for Pasture	Yield for Regrowth	Plant Height [feet]	Stem Sweetness	Stem Juiciness	Head Type	Regrowth Score	Charcoal Rot	Fusarium Rot
-------	-------------------	--------------	--------------------	------------------	---------------	----------------------	-------------------	--------------------	---------------------	----------------	----------------	-----------	----------------	--------------	--------------

877F	72	9	9	5	9	7	9	8	7-9	7	7	Open	9	5	5
-------------	----	---	---	---	---	---	---	---	-----	---	---	------	---	---	---



CONSIDER A PROGRAM APPROACH

TruChoice[®]
More choices. More savings.



Save on Corteva Agriscience™ crop protection products when you fund a TruChoice® prepay account online or through your local Pioneer sales representative.



FUND

your TruChoice® offers prepay account

A minimum of \$5,000 deposit is needed to open a TruChoice prepay account.



EARN




SPEND

prepay funds on over 100 leading crop protection products



For a full list of eligible crop protection products, visit TruChoice.corteva.us



GRAIN CORN AGRONOMIC FOOTNOTES

INTRO Introductory product. Quantities may be limited.

NEW New Product.

All scores of integrated refuge products are based upon the major component.

**All Pioneer corn products are hybrids. All Pioneer products denoted with™ are brand names. If corn product designated with AM, AML, AMT, AMX, AMXT, Q, V, PCU, PCUE, PWE & PWUE, it is a blend/mixture.

Product performance in water-limited environments is variable and depends on many factors such as the severity and timing of moisture deficiency, heat stress, soil type, management practices and environmental stress as well as disease and pest pressures. All products may exhibit reduced yield under water and heat stress. Individual results may vary.

IMPORTANT: Trait rating scores provide key information useful in selection and management of Pioneer® brand products in your area. Information and ratings are based on comparisons with other Pioneer brand products, not competitive products. Information and scores are assigned by Pioneer Research Managers. Scores are based on period-of-years testing through 2024 harvest and were the latest available at time of printing. Some scores may change after 2025 harvest. Scores represent an average of performance data across areas of adaptation, multiple growing conditions, and a wide range of both climate and soil types and may not predict future results. All products within a hybrid family receive the same score unless observations indicate a significant difference. Individual product responses are variable and subject to a variety of environmental, disease and pest pressures. Please use this information as only one component of your product positioning decision. Refer to www.pioneer.com or contact a Pioneer sales professional for the latest and most complete listing of traits and scores for each Pioneer brand product and for product placement and management suggestions specific to your operation and local conditions.

RATINGS: 9 = Outstanding; 1 = Poor; Blank = Insufficient Data.

WHITE AND WAXY CORN RATINGS: Based on comparisons with other Pioneer brand products, not competitive products. Trait ratings for white and waxy products reflect comparison with non-modified yellow products of a similar maturity.

TECHNOLOGY SEGMENT: **AM** - Optimum® AcreMax® insect protection system with YGCB, HX1, LL, RR2. Contains a single-bag integrated refuge solution for above-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with YGCB, HXX, LL, RR2. Contains a single-bag integrated refuge solution for above- and below-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with Optimum AcreMax Xtra products. **AMXT** (Optimum® AcreMax® XTreme) - Contains a single-bag integrated refuge solution for above- and below-ground insects. The major component contains the Agrisure® RW trait, the Bt trait and the Herculex® XTRA gene. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with Optimum AcreMax XTreme products. **Q** (Grome®) - Contains a single-bag integrated refuge solution for above- and below-ground insects. The major component contains the Agrisure® RW trait, the Bt trait, and the Herculex® XTRA gene. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with Optimum AcreMax XTreme products. **V** - Vorceed® Enlist® products with V, LL, RR2, ENL. Contains a single-bag integrated refuge solution with multiple modes of action for above- and below-ground insects. The major component contains the Herculex® XTRA genes, the RW3 trait and the VTP trait. In EPA-designated cotton growing counties, a 20% separate corn borer refuge must be planted for Vorceed Enlist products. **PCE** - Powercore® Enlist® Refuge Advanced® corn products with HX1, VTP, ENL, LL, RR2. Contains a single-bag integrated refuge solution for above-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with PowerCore Enlist Refuge Advanced products. **PCUE** - Powercore® Ultra Enlist® Refuge Advanced® corn products with AVBL, HX1, VTP, ENL, LL, RR2. Contains a single-bag integrated refuge solution for above-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with PowerCore Ultra Enlist Refuge Advanced products.

HX1 - Contains the Herculex® I insect protection gene which provides protection against European corn borer, southwestern corn borer, black cutworm, fall armyworm, lesser corn stalk borer, southern corn stalk borer, and sugarcane borer; and suppresses corn earworm.

HXX - Herculex® XTRA contains the Herculex® I and Herculex® RW gene. **YGCB** - The Bt trait offers a high level of resistance to European corn borer, southwestern corn borer and southern cornstalk borer; moderate resistance to corn earworm and common stalk borer; and above average resistance to fall armyworm. **LL** - Contains the LibertyLink® gene for resistance to glufosinate herbicide. **RR2** - Contains the Roundup Ready® Corn 2 trait that provides crop safety for over-the-top applications of labeled glyphosate herbicides when applied according to label directions.

*Roundup and Roundup Ready are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design are registered trademarks of BASF.

Agrisure® and Agrisure Viptera® are registered trademarks of, and used under license from, a Syngenta Group Company. Mir162 is part of Agrisure Viptera® and is a registered trademark of Syngenta Agro SA. Agrisure® technology incorporated into these seeds is commercialized under a license from Syngenta Crop Protection AG.

POWERCORE® is a registered trademark of Bayer Group. POWERCORE® multi-event technology developed by Corteva Agriscience and Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/esppl, call 1-844-447-3813, or email ESPPL@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitsstewardship.com.

MARKET SEGMENT: Designations indicate product is also suitable for the following market: **WX** - Waxy; **WH** - White food corn; **YFC** - Yellow food corn; **AQ** - Optimum® AQUAmax® product; **BMR** - Brown MidRib Corn; **BOV** - Bovalta® BMR Corn; **TE** - Pioneer® brand exclusive corn silage TonnEdge hybrids, powered by the Silage Zone®, offer livestock producers products that deliver high tonnage potential and superior plant health while providing an edge over the competition with a focus on local selection, agronomics, and quality. All this comes with the service, support, and tools you need to produce the highest quality feed for your operation.

CRM (Comparative Relative Maturity): There is not an industry standard for maturity ratings so comparing product maturity and harvest moisture ratings between companies is usually difficult. Use the CRM rating to compare Pioneer® brand products with competitive products of a similar maturity and harvest moisture. CRM ratings, and harvest moistures, for products within a family may vary slightly, depending upon the level of insect (ECB and CRW) infestation. Conventional and straight products with the RR2 gene within a family will usually be 1-2 CRMs earlier than indicated, when insect infestations are moderate to heavy. One CRM difference is about ½ point of moisture difference at harvest.

MID-SEASON BRITTLE STALK: Ratings determined by frequency and severity of stalk snapping at lower to middle stalk internodes from conditions usually favored by rapid or optimum growth. Relative response of products can be affected by planting date, stage of growth, rate of growth, wind severity and other variables. Scores derived from both natural observations and artificial evaluation immediately prior to tasseling. NOTE: Scores do not reflect snappage enhanced by or due to herbicide interaction. The use of growth regulator herbicides such as 2,4-D and dicamba can increase the brittle snap potential of corn products. Products with lower brittle stalk ratings will require more caution and have a higher risk associated with the use of growth regulator herbicides. Early application, proper rates and application methods, along with both product and herbicide selection can help reduce this risk. **BRITTLE STALK PRECAUTION:** In areas with higher potential for brittle stalk breakage, growers must balance the risk of planting products with brittle stalk ratings of less than 4 against the overall performance of more resistant products with higher ratings. All products have a period of susceptibility to brittle stalk. Products with below average ratings may have a longer period of susceptibility, or may experience more severe breakage relative to products with higher scores during period of susceptibility.

STRESS EMERGENCE: All products are expected to establish normal stands under average soil conditions. Stress emergence is a measure of the genetic ability or potential to emerge in the stressful environmental conditions of cold, wet soils or short periods of severe low temperatures, relative to other Pioneer brand products. Ratings of 7-9 indicate very good potential to establish normal stands under such conditions; a rating of 5-6 indicates average potential to establish normal stands under moderate stress conditions; and ratings of 1-4 indicate the product has below average potential to establish normal stands under stress and should not be used if severe cold conditions are expected immediately after planting. Stress emergence is not a rating for seedling disease susceptibility, early growth or speed of emergence.

DROUGHT TOLERANCE: Drought tolerance is a complex trait, determined by a platform's ability to maintain yield in limited-moisture environments. A higher score indicates the potential for higher yields vs. other platforms of similar maturity in limited-moisture environments.

GRAIN DRYDOWN: Compares products of similar maturity for rate of moisture loss during grain drydown. A higher score indicates faster drydown. A lower score indicates slower drydown, or a wider opportunity for silage and high-moisture corn harvest.

EAR FLEX: Score reflects the ability of a product to flex ear size as plant density is reduced, or as growing conditions improve.

TEST WEIGHT: Higher score indicates heavier test weight.

PLANT HEIGHT: 9 = Very Tall; 1 = Short.

EAR HEIGHT: 9 = High; 1 = Low.

GRAIN CORN DISEASE FOOTNOTES

Ratings denoted with a double asterisk () reflect preliminary data subject to change when additional data becomes available.

DISEASE PRECAUTION: Grower should balance product yield potential, product maturity and cultural practice selection against their anticipated risk of a specific disease and need for resistance. In high disease-risk conditions, consider planting products with at least moderate resistance ratings of 4 or higher to help reduce risk. When susceptible products with disease ratings of 1 to 3 are planted in conditions of high disease pressure, the grower assumes a higher level of risk. If conditions are severe, even products rated as resistant can be adversely affected. Independent of yield reduction, diseases can predispose plants to secondary diseases such as stalk rot. This requires individual field and product monitoring for stalk stability and timely harvest when warranted.

DISEASE & PEST RATINGS: 8-9 = Highly Resistant; 6-7 = Resistant; 4-5 = Moderately Resistant; 1-3 = Susceptible; Blank = Insufficient Data.

GRAY LEAF SPOT PRECAUTION: Avoid planting products with a lower gray leaf spot (GLS) rating in continuous corn fields that have a history of GLS infection, unless tillage operations that bury significant amounts of corn residue and inoculum are practiced.

NORTHERN LEAF BLIGHT CAUTION: In conditions where northern leaf blight (NLB) risk is high, growers should consider planting only products with at least moderate NLB resistance ratings of 4 or higher.

FUSARIUM EAR ROT CAUTION: Ratings based upon visual symptoms at harvest. If Fusarium ear rot has caused significant damage in the past, growers should consider planting only products with at least moderate Fusarium ear rot ratings of 5 or higher.

GIBBERELLA EAR ROT CAUTION: Ratings based upon visual symptoms at harvest. If Gibberella ear rot has caused significant damage in the past, growers should consider planting only products with at least moderate Gibberella ear rot ratings of 5 or higher.

DIPLODIA EAR ROT CAUTION: Ratings based upon visual symptoms at harvest. If Diplodia ear rot has caused significant damage in the past, growers should consider planting only products with a Diplodia ear rot rating of 4 or higher.

TAR SPOT CAUTION: Scores reflect the relative sensitivity of the hybrids evaluated. Products with higher scores pose lower risk of severe disease development. In areas with tar spot pressure, consider using products with higher tar spot ratings. In addition, consider the use of fungicides labeled for use on tar spot when the disease is present. As more evidence is collected, suggested score minimums for high-risk conditions will be developed.

CORN SILAGE FOOTNOTES

**The minor component of this blend product is not a Brown MidRib Corn hybrid.

SILAGE CRM (Silage Comparative Relative Maturity): With no industry standard for silage maturity, comparing maturity and harvest moisture across various companies' corn-for-silage hybrids can be difficult. Pioneer silage CRM ratings provide a relative comparison among Pioneer® brand products of rates at which products reach harvestable whole plant moistures. It is on the same scale as the CRM rating provided for grain corn products and does not represent actual days from planting or emergence to harvest moisture or half milklane.

SILAGE YIELD: Based on whole-plant yield per acre (adjusted to 35% dry matter) from multi-year comparison with other products within a maturity range not exceeding 5 silage CRM units.

STARCH AND SUGAR, %: Percent starch and soluble sugars (DM basis) in the whole-plant sample predicted by NIRS.

FIBER DIGESTIBILITY: Based on 30-hour rumen-fluid based estimate of the percent of ruminally degradable neutral detergent fiber (NDF) as a percent of total NDF in whole-plant samples, predicted by NIRS. Brown MidRib Corn hybrids are designated with "B" since NDFD30 averages 6-8 percentage points higher than non-BMR silage hybrids. To optimize fiber digestibility, growers should consider use of BMR Corn hybrids.

MILK PER ACRE: 9 = Outstanding; 1 = Poor, based on University of Wisconsin MILK2006 utilizing silage yield, nutrient content and digestibility.

MILK PER TON: 9 = Outstanding; 1 = Poor, based on University of Wisconsin MILK2006 utilizing silage yield, nutrient content and digestibility.

BEEF PER ACRE: 9 = Outstanding; 1 = Poor, based on University of Wisconsin MILK2006 utilizing silage yield, nutrient content and digestibility.

BEEF PER TON: 9 = Outstanding; 1 = Poor, based on University of Wisconsin MILK2006 utilizing silage yield, nutrient content and digestibility.

PLANT STAYGREEN: Indicator of late-season plant health. A higher score indicates ability to survive further into the growing season. Scores are taken near grain physiological maturity (zero kernel milking) stage.

Glyphosate Tolerant **STS**[®] herbicide tolerant trait



SOYBEAN FOOTNOTES

NEW New Product.

**All Pioneer products denoted with™ are brand names.

Ratings denoted with a double asterisk () reflect preliminary data subject to change when additional data becomes available.

IMPORTANT: Product responses are variable and subject to a number of environmental, disease and pest pressures. Please use this information as only part of your product positioning decision. Individual results may vary.

Trait ratings provide key information useful in selection and management of Pioneer® brand products in your area. Scores are based on testing through 2024 harvest and were the latest available at time of printing. Some scores may change after 2025 harvest. Information and ratings are based on average performance across area of adaptation under normal conditions, over a wide range of both climate and soil types and may not predict future results. Refer to www.pioneer.com or contact a Pioneer sales professional for the latest and most complete listing of traits and scores for each Pioneer brand product and for product placement and management suggestions specific to your operation and local conditions.

NUMERIC RATINGS: 9 = Excellent; 1 = Poor; Blank = Insufficient Data or variety not tested for that particular trait.

RELATIVE MATURITY: Shows the relative maturity group rating, with the digits preceding the decimal representing the general maturity group, and the digit following the decimal showing relative maturity within the group on a scale of 0 to 9, with 0 early and 9 late. For example, a soybean product with a relative maturity rating of 1.8 would be a late product in Group 1 maturity.

TECHNOLOGY SEGMENT:

Always follow grain marketing, stewardship practices and pesticide label directions. **Varieties with the Glyphosate Tolerant trait** (including those designated by the letter "R" in the product number) contain genes that confer tolerance to glyphosate herbicides. Glyphosate herbicides will kill crops that are not tolerant to glyphosate.

Varieties with the STS® trait are tolerant to certain sulfonylurea (SU) herbicides. This technology allows post-emergent applications of Synchrony® XP and Classic® herbicides without crop injury or stress (see herbicide product labels). NOTE: A soybean variety with a glyphosate tolerant trait does not confer tolerance to all herbicides. Spraying herbicides not labeled for a specific soybean variety will result in severe plant injury or plant death. Always read and follow herbicide label directions and precautions for use.

Varieties with Enlist E3® technology (E3): The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C.

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not



registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/esppl, call 1-844-447-3813, or email ESPPI@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitstewardship.com.

Plenish® (P) high oleic soybeans have an enhanced oil profile and are produced and channeled under contract to specific grain markets. Growers should refer to the Pioneer Product Use Guide on www.pioneer.com/us/stewardship for more information.

(-) = Variety does not contain a herbicide resistant gene.

FIELD EMERGENCE: Rating based on speed and strength of emergence in sub-optimal temperatures. **1-3** = Below Average; **4-6** = Average; **7-9** = Excellent.

PHYTOPHTHORA RESISTANCE GENE:

(-) = No specific gene for resistance.

Rps1** = Contains Rps1c or Rps1k Phytophthora resistance.

Rps 1a = Provides resistance to races 1, 2, 10, 11, 13-18, 24, 26, 27, 31, 32, 36, 38, 48, 50-52, 54-55.

Rps 1c = Provides resistance to races 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26, 28-30, 32, 34, 36, 38, 41, 42, 44, 48, 50, 52, 54, 55.

Rps 1k = Provides resistance to races 1-11, 13-15, 17, 18, 21-24, 26, 36-38, 42-44, 46-55.

Rps 6 = Provides resistance to races 1-4, 10, 12, 14-16, 18-21, 25, 28, 33-35, 38-48, 52-54.

Rps 3a = Resistant to races 1-5, 8-9, 11, 13-14, 16, 18, 23, 25, 28-29, 31-35, 39-41, 43-45, 47-52, 54.

Rps 3c = Resistant to races 1-4, 10-16, 18-36, 38-54.

PHYTOPHTHORA FIELD TOLERANCE: Products with high tolerance scores have demonstrated an ability to thrive in the presence of Phytophthora races to which they lack specific resistance. In some products, tolerance is expressed only after the early seedling growth stage, making such products susceptible to damping off during emergence and early seed growth.

BROWN STEM ROT: HT = Highly Tolerant; **MT** = Moderately Tolerant; **MS** = Moderately Susceptible.

WHITE MOLD: Scores based on Pioneer research observations of comparative white mold tolerance among various soybean products across multiple locations and years. All products are capable of developing white mold symptoms under severe infestations. To our knowledge, there are no totally resistant products in the industry. However, differences exist in the ability of products to tolerate white mold (i.e., the rate at which the infection develops and the extent of damage it causes). These scores reflect those differences.

SCN RESISTANCE SOURCE: There are three sources of genetic resistance to SCN currently deployed in the marketplace: P188788; P1548402 (also known as Peking); P1437854 (also known as Hartwig). **R** = Resistant to SCN but the source of that resistance is not yet identified. P188788 provides good to excellent resistance to race 3 and average to excellent resistance to race 14. Peking provides very good to excellent resistance to races 1, 3, and 5. Peking^ provides excellent resistance to race 3 and below average to average resistance to race 5.

CHARCOAL ROT: A fungal disease that is enhanced by hot and dry conditions, especially during reproductive growth stages. Scores based on Pioneer research observations of the comparative ability to tolerate infection from the charcoal rot pathogen among various soybean products.

CANOPY WIDTH: 9 = Extremely bushy; **1** = Very narrow.

PLANT HEIGHT FOR MATURITY: 9 = Tall; **1** = Short.

% PROTEIN AT 13% MOISTURE: Compare data within table only. Values can vary widely by growing season and region.

% OIL AT 13% MOISTURE: Compare data within table only. Values can vary widely by growing season and region.

Note: U.S. patents, Plant Variety Protection Act (PVPA) applications and certificates, or other limitations on use may be used to protect Pioneer brand soybean products from unauthorized growing, selling or use of the seed. These protections help assure that growers will continue to have access to new and improved products through the research efforts of plant scientists in the years ahead.

WHEAT FOOTNOTES

INTRO Introductory product. Quantities may be limited.

NEW New Product.

Trait ratings provide key information useful in selection and management of Pioneer® brand products in your area. Scores are based on period-of-years testing through 2024 harvest and were the latest available at time of printing. Some scores may change during the 2025 season. Contact your Pioneer sales professional before planting for the latest trait rating information.

IMPORTANT: Information and ratings are based on comparisons with other Pioneer® brand products, not competitive products. Information and ratings are assigned by Pioneer Agronomists and Research Managers, based on average performance across area of adaptation under normal conditions, over a wide range of both climate and soil types, and may not predict future results. Product responses are variable and subject to any number of environmental, disease and pest pressures. Please use this information as only part of your product positioning decision. Refer to www.pioneer.com or contact a Pioneer sales professional for the latest and most complete listing of traits and scores for each Pioneer brand product and for product placement and management suggestions specific to your operation and local conditions.

NUMERIC RATINGS: 9 = Excellent; **1** = Poor; Blank = Insufficient Data.

HEADING DATE IN AREAS OF ADAPTATION: Heading date in days earlier (-) or later (+) than Pioneer brand variety.

25R40 in northern states of DE, NJ, NY, PA, OH, IN, MI, IL, MO, WI, and Ontario, Canada.

HARVEST MATURITY: VE = Very Early, **E** = Early, **ME** = Medium Early, **M** = Medium, **ML** = Medium Late, **L** = Late; **VL** = Very Late.

SEED SIZE: Low scores = smaller

HEIGHT: Low scores = shorter

NOTE: U.S. patents, Plant Variety Protection Act (PVPA) applications and certificates or other limitations on use may be used to protect Pioneer brand wheat varieties from unauthorized growing, selling or use of the seed. Purchaser of a Pioneer brand wheat variety is granted a limited license solely to produce a single crop of grain for feeding or processing.

FORAGE SORGHUM FOOTNOTES



Trait ratings provide key information useful in selection and management of Pioneer® brand products in your area. Scores are based on period-of-years testing through 2024 harvest and were the latest available at time of printing. Some scores may change after 2025 harvest. Contact your Pioneer sales professional before planting for the latest trait rating information.

IMPORTANT: Information and ratings are based on comparisons with other Pioneer® brand products, not competitive products. Information and ratings are assigned by Pioneer Agronomists and Research Managers, based on average performance across area of adaptation under normal conditions, over a wide range of both climate and soil types, and may not predict future results. Product responses are variable and subject to any number of environmental, disease and pest pressures. Please use this information as only part of your product positioning decision. Refer to www.pioneer.com or contact a Pioneer sales professional for the latest and most complete listing of traits and scores for each Pioneer brand product and for product placement and management suggestions specific to your operation and local conditions.

RATINGS: 9 = Excellent; **1** = Poor.

RM (RELATIVE MATURITY): Approximate length of time in days until flowering.

STEM SWEETNESS: 1 = Bitter; **9** = Sweet.

STEM JUICINESS: 1 = Dry; **9** = Wet.

SORGHUM APHID TOLERANCE: Pioneer® brand sorghum hybrids with the Pioneer Protector® technology designation have a sorghum aphid tolerance rating of 5 or greater.

Pioneer® hybrid 859F is available with Concep® safened seed. Concep® is a registered trademark of a Syngenta Group Company.

SORGHUM-SUDANGRASS FOOTNOTES

Trait ratings provide key information useful in selection and management of Pioneer® brand products in your area. Scores are based on period-of-years testing through 2024 harvest and were the latest available at time of printing. Some scores may change after 2025 harvest. Contact your Pioneer sales professional before planting for the latest trait rating information.

IMPORTANT: Information and ratings are based on comparisons with other Pioneer® brand products, not competitive products. Information and ratings are assigned by Pioneer Agronomists and Research Managers, based on average performance across area of adaptation under normal conditions, over a wide range of both climate and soil types, and may not predict future results. Product responses are variable and subject to any number of environmental, disease and pest pressures. Please use this information as only part of your product positioning decision. Refer to www.pioneer.com or contact a Pioneer sales professional for the latest and most complete listing of traits and scores for each Pioneer brand product and for product placement and management suggestions specific to your operation and local conditions.

RATINGS: 9 = Excellent; **1** = Poor.

RM (RELATIVE MATURITY): Approximate length of time in days until flowering.

STEM SWEETNESS: 1 = Bitter; **9** = Sweet.

STEM JUICINESS: 1 = Dry; **9** = Wet.

INOCULANT FOOTNOTES

Rapid React® aerobic stability technology

** Patented, proprietary and unique *L. buchneri* strain found only in NutriVal® feed technology products proven to improve rate of fiber digestibility.

† Improved aerobic stability and reduced heating is relative to untreated silage. Actual results may vary. The effect of any silage inoculant is dependent upon management at harvest, storage and feedout. Factors such as moisture, maturity, chop length and compaction will determine inoculant efficacy.

IMPORTANT: Information and ratings are based on relative comparisons with other Pioneer® brand forage additives within each specific crop, not competitive products. Information and ratings are assigned by Pioneer Forage Additive Research, based on average performance across area of use under normal conditions, over a wide range of both environment and management conditions, and may not predict future results. Product responses are variable and subject to any number of environmental and management conditions. Please use this information as only part of your product positioning decision. Refer to www.pioneer.com or contact a Pioneer sales professional for the latest and most complete listing of traits and scores for each Pioneer brand product and for product placement and management suggestions specific to your operation and local conditions.

FERMENTATION: Rate and extent of pH decline and the composition of fermentation acids occurring in silage.





NUTRIENT CONSERVATION: Retaining more sugar/starch and reducing protein degradation by rapidly reducing silage pH.

FIBER DIGESTIBILITY: The digestibility of neutral detergent fiber (NDF) by the ruminant animal expressed as a percentage of the total NDF.

All products may not be registered for sale or use in all states. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state. Always read and follow label directions. The information presented here is not an offer for sale. This is not intended as a substitute for the product label for the product(s) referenced herein. The information contained in this technical document is based on the latest to-date technical information available to Corteva Agriscience, and Corteva reserves the right to update the information at any time. Components of LumiGEN® seed treatments for soybeans are applied at a Corteva Agriscience production facility, or by an independent sales representative of Corteva Agriscience or its affiliates. Not all sales representatives offer treatment services, and costs and other charges may vary. See your sales representative for details. Seed applied technologies exclusive to Corteva Agriscience and its affiliates. ILEVO® HL is a registered trademark of BASF. Sebring™ is a registered trademark of Nufarm.

PIONEER® brand products are provided subject to the terms and conditions of purchase which are part of the labeling and purchase documents.™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2025 Corteva. 028239 (03/25)



 <p>HI-BRED SEED CORN</p> <p>1926 – 1940</p>	 <p>1941 – 1949</p>	 <p>1949 – 1964</p>	 <p>SINCE 1965</p>
--	--	--	---

The Long Look

The “Long Look,” originally written in 1952, has reflected the Pioneer® brand business philosophy since our incorporation in 1926. While we have added and subtracted many products and services from our core seed corn business over the years, our “Long Look” has remained constant. This philosophy – our attitude toward research, production, marketing, and the worldwide network of Pioneer people – will always stay true to the four simple statements of business policy:

- 1. We strive to produce the best products on the market.**
- 2. We deal honestly and fairly with our customers, employees, sales representatives, business associates and shareholders.**
- 3. We vigorously market our products without misrepresentation.**
- 4. We provide helpful management information to assist customers in making optimum profits from our products.**





A CENTURY OF INNOVATION

